

Automated detection in remote sensing archaeology: a reading list

Karsten Lambers, Arianna Traviglia

Angaben zur Veröffentlichung / Publication details:

Lambers, Karsten, and Arianna Traviglia. 2016. "Automated detection in remote sensing archaeology: a reading list." *AARGnews*, no. 53: 25–29.
<https://aargonline.com/wp/aarg-news/#pastissues>.



Automated detection in remote sensing archaeology: a reading list

Karsten Lambers¹, Arianna Traviglia²

¹ Leiden University: k.lambers@arch.leidenuniv.nl

² Ca' Foscari University of Venice: traviglia@unive.it

The applications of automated object detection in remote sensing archaeology have grown considerably in the last few years. This reading list has been compiled as a contribution to consolidating current perspectives at September 2016, and in support of the preceding paper on the broader issues of human and computer vision in archaeological prospection (Traviglia *et al.*).

- Agapiou A, Alexakis DD, Sarris A, Hadjimitsis DG. 2015. On the use of satellite remote sensing in archaeology. In *Best Practices of Geoinformatic Technologies for the Mapping of Archaeolandscapes*, Sarris A (ed.). Oxford: Archaeopress; 115–125.
- Beck A. 2007. Archaeological site detection: the importance of contrast. In *Remote Sensing and Photogrammetry Society Annual Conference (RSPSoc 2007): Challenges for Earth Observation: Scientific, Technical and Commercial. Proceedings of a Meeting Held 11–14 September 2007, Newcastle Upon Tyne, UK*. Nottingham: Remote Sensing and Photogrammetry Society; 307–312.
- Beck A, Wilkinson K, Philip G. 2007. Some techniques for improving the detection of archaeological features from satellite imagery. In *Remote Sensing for Environmental Monitoring, GIS Applications, and Geology VII, Proceedings of SPIE 6749*, Ehlers M, Michel U (eds.). Florence: SPIE; 674903. DOI: 10.1117/12.736704
- Bennett R, Cowley D, De Laet V. 2014. The data explosion: tackling the taboo of automatic feature recognition in airborne survey data. *Antiquity* 88: 896–905. DOI: 10.1017/S0003598X00050766
- Bevan A. 2015. The data deluge. *Antiquity* 89: 1473–1484. DOI: 10.15184/aqy.2015.102
- Casana J. 2014. Regional-scale archaeological remote sensing in the age of big data. *Advances in Archaeological Practice* 3: 222–233. DOI: 10.7183/2326-3768.2.3.222
- Cerrillo-Cuenca E. 2016. An approach to the automatic surveying of prehistoric barrows. *Quaternary International*, in press. DOI: 10.1016/j.quaint.2015.12.099
- Cheng G, Han J. 2016. A survey on object detection in optical remote sensing images. *ISPRS Journal of Photogrammetry and Remote Sensing* 117: 11–28. DOI: 10.1016/j.isprsjprs.2016.03.014
- Chen L, Comer DC, Priebe CE, Sussman D, Tilton JC. 2013. Refinement of a method for identifying probable archaeological sites from remotely sensed data. In *Mapping Archaeological Landscapes from Space*, Comer D C, Harrower M J (eds). New York: Springer; 251–258. DOI: 10.1007/978-1-4614-6074-9_21

- Cowley DC. 2012. In with the new, out with the old? Auto-extraction for remote sensing archaeology. In *Remote Sensing of the Ocean, Sea Ice, Coastal Waters, and Large Water Regions 2012, Proceedings of SPIE 8532*, Bostater CR, Mertikas SP, Neyt X, Nichol C, Cowley DC, Bruyant JB (eds.). Edinburgh: SPIE; 853206-1. DOI: 10.1117/12.981758
- Da Pelo P, D'Orazio T. 2013. Automatic and semi-automatic approaches to support archaeological trace extraction and digitalization. In *Proceedings of the 4th EARSeL Workshop on Cultural and Natural Heritage "Earth observation: a window on the past"*, Matera (Italy), 6–7 June 2013, Lasaponara R, Masini N, Biscione M, Hernandez M (eds.); 347–362.
- De Boer A. 2007. Using pattern recognition to search LIDAR data for archeological sites. In *The World is in Your Eyes. CAA2005. Computer Applications and Quantitative Methods in Archaeology. Proceedings of the 33rd Conference, Tomar, March 2005*, Figueiredo A, Leite Velho G (eds.). Tomar: CAA Portugal; 245–254.
- De Guio A, Magnini L, Bettineschi C. 2015. GeOBIA approaches to remote sensing of fossil landscapes: two case studies from northern Italy. In *Across Space and Time: Papers from the 41st Conference on Computer Applications and Quantitative Methods in Archaeology, Perth, 25–28 March 2013*, Traviglia A (ed.). Amsterdam: Amsterdam University Press; 45–53.
- De Laet V, Paulissen E, Waelkens M. 2007. Methods for the extraction of archaeological features from very high-resolution Ikonos-2 remote sensing imagery, Hisar (southwest Turkey). *Journal of Archaeological Science* 34: 830–841. DOI: 10.1016/j.jas.2006.09.013
- De Laet V, Mušič, Paulissen E, Waelkens M. 2008. Extracting archaeological features from very high resolution Quickbird-2 remote sensing imagery: a methodological approach based on the town of Sagalassos. In *Sagalassos VI. Geo- and Bio-Archaeology at Sagalassos and in its Territory*, Degryse P, Waelkens M (eds.). Leuven: Leuven University Press; 157–171.
- De Laet V, Paulissen E, Meuleman K, Waelkens M. 2009. Effects of image characteristics on the identification and extraction of archaeological features from Ikonos-2 and Quickbird-2 imagery: case study Sagalassos (southwest Turkey). *International Journal of Remote Sensing* 30(21): 5655–5668. DOI: 10.1080/01431160802705821
- D'Orazio T, Palumbo F, Cuaragnella C. 2012. Archaeological trace extraction by a local directional active contour approach. *Pattern Recognition* 45: 3427–3438. DOI: 10.1016/j.patcog.2012.03.003
- D'Orazio T, Da Pelo P, Marani R, Guaragnella C. 2015. Automated extraction of archaeological traces by a modified variance analysis. *Remote Sensing* 7: 3565–3587. DOI: 10.3390/rs70403565
- Figorito B, Tarantino E. 2014. Semi-automated detection of linear archaeological traces from orthorectified aerial images. *International Journal of Applied Earth Observation and Geoinformation* 26: 458–463. DOI: 10.1016/j.jag.2013.04.005
- Freeland T, Heung B, Burley DV, Clark G, Knudby A. 2016. Automated feature extraction for prospection and analysis of monumental earthworks from aerial LiDAR in the kingdom of Tonga. *Journal of Archaeological Science* 69: 64–74. DOI: 10.1016/j.jas.2016.04.011

- Hanson WS. 2008. The future of aerial archaeology (or are algorithms the answer?). In *Proceedings of the 1st International EARSeL Workshop on Remote Sensing for Archaeology and Cultural Heritage Management, CNR, Rome, September 30–October 4, 2008*, Lasaponara R, Masini N (eds.). Rome: Aracne; 47–50.
- Hanson WS. 2010. The future of aerial archaeology in Europe. *Photo Interprétation. European Journal of Applied Remote Sensing*, 46(1), 3–11.
- Harrower MJ, Schuetter J, McCorriston J, Goel PK, Senn MJ. 2013. Survey, automated detection, and spatial distribution analysis of cairn tombs in ancient southern Arabia. In *Mapping Archaeological Landscapes from Space*, Comer DC, Harrower MJ (eds.). New York: Springer; 259–268. DOI: 10.1007/978-1-4614-6074-9_22
- Jahjah M, Ulivieri C. 2010. Automatic archaeological feature extraction from satellite VHR images. *Acta Astronautica* 66: 1302–1310. DOI: 10.1016/j.actaastro.2009.10.028
- Kobyliński Ł, Walczak K. 2006. Data mining approach to classification of archaeological aerial photographs. In *Intelligent Information Processing and Web Mining, Proceedings of the International IIS: IIPWM'06 Conference held in Ustrón, Poland, June 19–22, 2006*, Kłopotek MA, Wierzchoń ST, Trojanowski K (eds.). Berlin: Springer; 479–487. DOI: 10.1007/3-540-33521-8_52
- Kramer IC. 2015. *An archaeological reaction to the remote sensing data explosion: reviewing the research on semi-automated pattern recognition and assessing the potential to integrate artificial intelligence*. MSc thesis, University of Southampton. Available at <https://drive.google.com/file/d/0ByV8MuuT2nnoSVhxa2VucHpnVjA/view?usp=sharing> [accessed 25-08-2016].
- Kvamme K. 2013. An examination of automated archaeological feature recognition in remotely sensed imagery. In *Computational Approaches to Archaeological Spaces*, Bevan A, Lake M (eds.). Walnut Creek: Left Coast Press; 53–68.
- Lambers K, Zingman I. 2013. Towards detection of archaeological objects in high-resolution remotely sensed images: the Silvretta case study. In *Archaeology in the Digital Era, Volume II - E-Papers from the 40th Conference on Computer Applications and Quantitative Methods in Archaeology, Southampton, 26–30 March 2012*, Earl G, Sly T, Chrysanthi A, Murrieta-Flores P, Papadopoulos C, Romanowska I, Wheatley D (eds.). Amsterdam: Amsterdam University Press; 781–791.
- Lasaponara R, Masini N. 2012. Pattern recognition and classification using VHR data for archaeological research. In *Satellite Remote Sensing: A New Tool for Archaeology*, Lasaponara R, Masini N (eds.). New York: Springer; 65-85. DOI 10.1007/978-90-481-8801-7_3
- Lemmens JPMM, Stančič Z, Verwaal RG. 1993. Automated archaeological feature extraction from digital aerial photographs. In *Computing the Past. Computer Applications and Quantitative Methods in Archaeology. CAA92*, Andresen J, Madsen T, Scollar I (eds.). Aarhus: Aarhus University Press; 45–52.
- Liem VCG. 2014. *Spaceborne Remote Sensing for Near Eastern Archaeology: A case study on archaeological site-detection in Jordan's Black Desert*. MSc thesis, Delft University of Technology. Available at <http://resolver.tudelft.nl/uuid:e863c6c6-852e-42d1-9053-9a014727e74b>

- Megarry W P, Cooney G, Comer D C, Priebe C E. 2016. Posterior probability modeling and image classification for archaeological site prospection: building a survey efficacy model for identifying Neolithic felsite workshops in the Shetland Islands. *Remote Sensing* 8(6): 529. DOI:10.3390/rs8060529
- Menze BH, Ur JA. 2007. Classification of multispectral ASTER imagery in archaeological settlement survey in the Near East. In *Proceedings of the 10th International Symposium on Physical Measurements and Signatures in Remote Sensing (ISPMSRS'07), Davos, Switzerland, 12–14 March 2007, ISPRS Archives XXXVI-7/C50*, Schaeppman M, Liang S, Groot N, Kneubühler M (eds.). Available at <http://www.isprs.org/proceedings/XXXVI/7-C50/papers/P8.pdf> [accessed 25-08-2016].
- Menze BH, Ur JA. 2012. Mapping patterns of long-term settlement in northern Mesopotamia at a large scale. *PNAS* 109(14): E778–E787. DOI: 10.1073/pnas.1115472109.
- Menze BH, Mühl S, Sherratt AG. 2007. Virtual survey on north Mesopotamian tell sites by means of satellite remote sensing. In *Broadening horizons: multidisciplinary approaches to landscape study*, Ooghe B, Verhoeven G (eds.). Newcastle: Cambridge Scholars Publishing; 5–29.
- Menze BH, Ur JA, Sherratt AG. 2006. Detection of ancient settlement mounds: archaeological survey based on the SRTM terrain model. *Photogrammetric Engineering & Remote Sensing* 72(3): 321–327. DOI: 10.14358/PERS.72.3.321
- Redfern S. 1997. Computer assisted classification from aerial photographs. *AARGnews* 14: 33–38.
- Redfern S. 1998. An approach to automated morphological-topographical classification. *AARGnews* 17: 31–37.
- Redfern S. 1999. A PC-based system for computer assisted archaeological interpretation of aerial photographs. In *CAA97 – Archaeology in the Age of the Internet: Computer Applications and Quantitative Methods in Archaeology*, Dingwall L, Exon S, Gaffney V, Laflin S, van Leusen M (eds.). Oxford: Archaeopress. CD-ROM; 17–24.
- Redfern S. 2004. Digital wide-area survey from aerial photographs. In *Making the Connection to the Past. CAA99. Computer Applications and Quantitative Methods in Archaeology: Proceedings of the 27th Conference, Dublin, April 1999*, Fennema K, Kamermans H (eds.). Leiden: Faculty of Archaeology, Leiden University; 103–116.
- Riley MA. *Automated Detection of Prehistoric Conical Burial Mounds from LIDAR Bare-Earth Digital Elevation Models*. Master's thesis, Department of Geology and Geography, Northwest Missouri State University, 2009. Available at <http://www.nwmissouri.edu/library/theses/2009/RileyMelanie.pdf> [accessed 25-08-2016].
- Riley M A, Artz JA. 2012. Lidar Surveyor: a Tool for Automated Archaeological Feature Extraction from Light Detection and Ranging (Lidar) Elevation Data. Contract Completion Report 1898. Iowa City: Office of the State Archaeologist, The University of Iowa. Available at <https://www.ncptt.nps.gov/download/28607/> [accessed 25-08-2016].
- Schneider A, Takla M, Nicolay A, Raab A, Raab T. 2015. A template-matching approach combining morphometric variables for automated mapping of charcoal kiln sites. *Archaeological Prospection* 22: 45–62. DOI: 10.1002/arp.1497

- Schuetter J, Goel P, McCorrison J, Park J, Senn M, Harrower M. 2013. Autodetection of ancient Arabian tombs in high-resolution satellite imagery. *International Journal of Remote Sensing* 34(19): 6611–6635. DOI: 10.1080/01431161.2013.802054
- Sevara C, Pregesbauer M. 2014. Archaeological feature classification: an object oriented approach. *South-Eastern European Journal of Earth Observation and Geomatics* 3(2S): 139–143.
- Sevara C, Pregesbauer M, Doneus M, Verhoeven G, Trinks I. 2016. Pixel versus object – a comparison of strategies for the semi-automated mapping of archaeological features using airborne laser scanning data. *Journal of Archaeological Science: Reports* 5: 485–498. DOI: 10.1016/j.jasrep.2015.12.023
- Trier ØD, Larsen SØ, Solberg R. 2009. Automatic detection of circular structures in high-resolution satellite images of agricultural land. *Archaeological Prospection* 16: 1–15. DOI: 10.1002/arp.339
- Trier ØD, Pilø LH. 2012. Automatic detection of pit structures in airborne laser scanning data. *Archaeological Prospection* 19: 103–121. DOI: 10.1002/arp.1421
- Trier ØD, Zortea M, Tønning C. 2015. Automatic detection of mound structures in airborne laser scanning data. *Journal of Archaeological Science: Reports* 2: 69–79. DOI: 10.1016/j.jasrep.2015.01.005
- Zingman I, Saupe D, Lambers K. 2012. Morphological operators for segmentation of high contrast textured regions in remotely sensed imagery. In *Proceedings of the IEEE International Geoscience and Remote Sensing Symposium, Munich, 22–27 July, 2012*. Munich: IEEE; 3451-3454. DOI: 10.1109/IGARSS.2012.6350678
- Zingman I, Saupe D, Lambers K. 2013. Automated search for livestock enclosures of rectangular shape in remotely sensed imagery. In *Image and Signal Processing for Remote Sensing XIX, Proceedings of SPIE 8892*, Bruzzone L (ed.). Dresden: SPIE; 88920F. DOI: 10.1117/12.2027704
- Zingman I, Saupe D, Lambers K. 2014. A morphological approach for distinguishing texture and individual features in images. *Pattern Recognition Letters* 47: 129–138. DOI: 10.1016/j.patrec.2014.03.019
- Zingman I, Saupe D, Lambers K. 2015. Detection of incomplete enclosures of rectangular shape in remotely sensed images. In *2015 IEEE Conference on Computer Vision and Pattern Recognition Workshops (CVPRW)*. Boston: IEEE; 87–96. DOI: 10.1109/CVPRW.2015.7301387
- Zingman I, Saupe D, Penatti OAB, Lambers K. 2016. Detection of fragmented rectangular enclosures in very high resolution remote sensing images. *IEEE Transactions on Geoscience and Remote Sensing* 54: 4580–45. DOI: 10.1109/TGRS.2016.2545919.