

Strain induced renormalization of transport properties in UPt3 thin films

Michael Huth, Jan Hessert, Stefan Reber, Martin Jourdan, Philipp Gegenwart, Hermann Adrian

Angaben zur Veröffentlichung / Publication details:

Huth, Michael, Jan Hessert, Stefan Reber, Martin Jourdan, Philipp Gegenwart, and Hermann Adrian. 1996. "Strain induced renormalization of transport properties in UPt3 thin films." *Czechoslovak Journal of Physics* 46 (S2): 791–92.
<https://doi.org/10.1007/bf02583703>.



Strain induced renormalization of transport properties in UPt_3 thin films

Michael Huth^a, Jan Hessert^a, Stefan Reber^a, Martin Jourdan^a, Philipp Gegenwart^b, and Hermann Adrian^a

^aInstitut für Physik, Johannes Gutenberg-Universität Mainz, Staudinger Weg 7, 55099 Mainz, Germany

^bInstitut für Festkörperphysik, Techn. Hochschule Darmstadt, Hochschulstr. 10, 64289 Darmstadt, Germany

The growth of sputter deposited UPt_3 thin films on Al_2O_3 (10 $\bar{1}2$), LaAlO_3 (111) and SrTiO_3 (111) was investigated. We found strongly 0001-textured growth of UPt_3 in a small compositional range of 23 – 25% uranium content. For Al_2O_3 - and LaAlO_3 -substrates no in-plane order could be observed whereas epitaxial growth was initiated on SrTiO_3 (111). The growth can be identified as Vollmer-Weber like resulting in the formation of large lateral strain as a consequence of the growth mode and a lattice misfit of -4.3% between UPt_3 (0001) and SrTiO_3 (111). Strong deviations from the typical heavy-fermion characteristics in electronic transport properties like resistivity, magnetoresistivity and Hall-effect are attributed to changes of the hybridization between the localized 5f- and itinerant states.*

1. INTRODUCTION

Different experimental techniques, like specific heat and ultrasonic velocity measurements [1, 2], give evidence for the unconventional nature of the superconducting pair state in UPt_3 . The conclusion on possible knots in the energy gap by means of tunneling experiments revealed to be rather subtle up to now [3]. This is one reason why the preparation of UPt_3 thin films can be promising since tunnel junctions can be prepared under controlled conditions. This approach has already proven to be successful in superconducting tunneling spectroscopy experiments on UPd_2Al_3 thin film samples [4]. The growth of UPt_3 on different substrate materials and substrate orientations by means of a sputter process from high purity targets (see [5] for details) revealed epitaxial growth on SrTiO_3 in (111) orientation whereas only textured growth could be observed on Al_2O_3 (10 $\bar{1}2$) and LaAlO_3 (111). In all cases the film's c-axis is oriented perpendicular to the film plane. The films were deposited onto heated substrates ($T_{\text{sub}} \simeq 1000\text{ K}$) which resulted in an island growth mode (epitaxial Vollmer-Weber mode on SrTiO_3 (111)). The combination of epitaxial growth despite a lattice misfit at the film-substrate interface and the coalescence of the film islands without grain-boundary formation resulted in the development of a strong lateral compressive strain. This phenomenon is well known for metal films on insulating substrates [6]. As a consequence we assume the growth mode to be responsible for a renormalized electronic structure of the UPt_3

films. This point will be further corroborated by the following resistivity and magnetoresistivity data.

2. RESULTS

The temperature dependent resistivity of UPt_3 films on Al_2O_3 and SrTiO_3 is shown in figure 1.




Figure 1: Temperature dependent resistivity of UPt_3 -films on different substrate materials.

As compared to typical results on bulk samples the room temperature specific resistivity is strongly reduced by about a factor of 8 to 15. Especially for the film on SrTiO_3 the whole course of the resistivity

* This work was supported by the Deutsche Forschungsgemeinschaft through SFB 252.

has no resemblance to the typical bulk behaviour. The residual resistivity is as low as $13 \text{ n}\Omega\text{cm}$ with a residual resistance ratio $RRR = \rho(300 \text{ K})/\rho_0 = 612$ (sample # 88). The low temperature resistivity shows no increased value of the coefficient of the typical T^2 -behaviour in the Fermi-liquid regime. Superconductivity was found in a comparable sample at 128 mK (midpoint) with a strongly reduced upper critical field $B_{c2}(0) \simeq 0.1 \text{ T}$. Due to the high purity of the samples the low temperature magnetoresistivity (transversal geometry) showed quantum oscillations as function of the applied field. In figure 2 the oscillatory part of the resistivity, $R_{osc}(B) = R(B) - R(B, T = 1.3 \text{ K})$, is shown for different temperatures (sample # 94, $RRR = 451$).




Figure 2: Oscillatory part of magnetoresistivity as a function of the magnetic field.

A spectral analysis of the magnetoresistivity for different temperatures and field orientations parallel and perpendicular to the film's c -axis was performed in order to determine the effective masses m^* of the observed main branches by means of the temperature dependent damping part of the Lifshitz-Kosevich formula [7]:

$$\frac{A_1(T)}{A_1(0)} = \kappa T \frac{m^*}{m_0} \cdot \frac{1}{\sinh(\kappa T m^*/m_0)}$$

($\kappa = 2\pi^2 k_B m_0 / \hbar e B$).

In this analysis the influence of the collision broadening of the Landau levels was neglected. As can be seen in figure 3 the fits on the experimental data are quite satisfactory.

3. DISCUSSION

Within the observable mass regime $m^* < 35m_0$ ($T > 0.3 \text{ K}$, $B < 13.2 \text{ T}$) the analysis yielded $10.2 m_0$




Figure 3: Temperature dependent main spectral components of the magnetoresistivity (see text for details).

for the largest effective mass. These only slightly increased effective masses are compatible with the assumption of a strongly altered electronic structure in the films due to lateral compressive strain. Nevertheless the mass enhancement is clearly more pronounced than in pure platinum [8] giving further evidence that the observed properties are not due to pure platinum as an impurity phase. We propose rather a strongly renormalized effective hybridization of the itinerant states with the $5f$ -states to cause a significantly changed Kondo energy scale. Further work on the influence of lateral expansion by deposition on a different substrate material (MgO_3 (111)) and expansion experiments are in progress.

REFERENCES

- [1] E. A. Schuberth, B. Strickler, and K. Andres, Phys. Rev. Lett. **68** (1992) 117.
- [2] see for example: G. Bruls, D. Weber, B. Wolf, P. Thalmeier, and B. Lüthi, Phys. Rev. Lett. **65** (1990) 2294.
- [3] a recent review: H. v. Löhneysen, Physica B **197** (1994) 551.
- [4] M. Jourdan, M. Huth, and H. Adrian, this conference.
- [5] M. Huth, S. Reber, J. Hessert, C. Heske, and H. Adrian, submitted to J. Phys. Cond. Matt.
- [6] R. Koch, J. Phys. Cond. Matt. **6** (1994) 9519.
- [7] see for example: A. H. Kahn and H. P. R. Frederikse, Solid State Physics, Volume 9 (1959) 257-291.
- [8] J. B. Ketterson and L. R. Windmiller, Phys. Rev. B **2** (1970) 4813.