Magnetic switching of ferroelectric domains at room temperature in a new multiferroic [Extended Abstract]

J. F. Scott, Donald M. Evans, J. M. Gregg, Ashok Kumar, D. Sanchez, N. Ortega, R. S. Katiyar

Angaben zur Veröffentlichung / Publication details:

Scott, J. F., Donald M. Evans, J. M. Gregg, Ashok Kumar, D. Sanchez, N. Ortega, and R. S. Katiyar. 2012. “Magnetic switching of ferroelectric domains at room temperature in a new multiferroic [Extended Abstract].” In Frontiers in Electronic Materials: a collection of extended abstracts of the Nature Conference Frontiers in Electronic Materials, June 17th to 20th 2012, Aachen, Germany, edited by Jörg Heber, Darrell Schlom, Yoshinori Tokura, Rainer Waser, and Matthias Wuttig, 59–60. Weinheim: Wiley-VCH. https://doi.org/10.1002/9783527667703.ch22.

MAGNETIC SWITCHING OF FERROELECTRIC DOMAINS AT ROOM TEMPERATURE IN A NEW MULTIFERROIC

J. F. Scott[1], D. M. Evans[2], J. M. Gregg[2], Ashok Kumar[3,4], D. Sanchez[3], N. Ortega[3], and R. S. Katiyar[3]

[1]Dept. Physics, Cavendish Lab., Cambridge University, Cambridgem UK
[2]Dept. of Physics, Queen's University, Belfast, Northern Ireland, UK
3 Speclab, Dept. Physics, University of Puerto Rico, San Juan, P.R., USA

We have prepared sintered ceramic specimens of ball-milled ceramics of formula $Pb(Fe,Ta,Zr,Ti)O_3$ and measured their electrical and magnetic properties.[1] This perovskite oxide is prepared by mixing 30-40% $PbFe_{1/2}Ta_{1/2}O_3$ ["PFT"]with 70-60% $PbZr_{1/2}Ti_{1/2}O_3$ ["PZT"] and gives a single-phase crystal with very high-temperature ferroelectricity. Although pure PFT exhibits long-range magnetic ordering onlyup to 150K, it is known to have weak ferromagnetism due to Fe clustering up to ca. 400K. As a result, single-phase mixtures of PFT/PZT are multiferroic at room temperature. There is only one other known room-temperature multiferroic – BiFeO3 – and our new material exhibits far lower electrical conductivity and dielectric loss (ca. 1%) for device applications. Several other materials such as CuO are multiferroic slightly below room temperature, sometimes requiring a small dc field.

We have carefully analyzed our specimens via EDX (Fig.1), TEM (Fig.2), Raman spectroscopy, and other techniques and confirm than any second phase must be in amounts << 1%. This is too small to explain the measured magnetization at 295K and cannot explain the switching results below. In our initial work we were unable to see either a linear magnetoelectric effect or magnetoelectric switching, due to the measurement area extending over many domains. However, in the present work (Fig.3) we demonstrate good magnetoelectric switching at room temperature: In particular the ferroelectric domains measured via PFM are switched using a very small bar magnet (rare earth, ca. 0.1 Tesla). The direction of H was normal to the plane of the domains.



Fig. 1. X-ray diffraction pattern.



Fig.2. TEM pattern.



Fig.3: Magnetic switching:

Dark areas of PFM images. Apply field 1 and cause dark area to grow

Apply opposite field to cause dark area to shrink

Can cause 'switching' of dark area by using different magnetic field.

[1] D. Sanchez, N. Ortega, A. Kumar, R. S. Katiyar, J. F. Scott, AIP Adv. 1, 042169 (2011) .